



CERTIFICATE

Q-CERT

QMSCERT, an accredited provider of third-party system certification
attests that:

BIODIESEL S.A.

HEADQUARTERS: ASSIROS, GR- 57200, THESSALONIKI, GREECE
AUDITED SITE: LAND PARCEL 967, GR- 57200,
DRYMOS MUNICIPAL DEPARTMENT, THESSALONIKI, GREECE

with a scope of:

Production and Distribution of Biofuels

has established a
QUALITY MANAGEMENT SYSTEM
that is in conformance with the requirements of the International Standard
EN ISO 9001:2015

September 22, 2024
Certification Period Ending

September 23, 2021
Initial Certification Date

September 23, 2021
Certification Date

IAF/EA Subsector: 12.1, 29.3


For the QMSCERT Board

This certification is subject to Annual Surveillance Audits. The certification is valid (for three years) only if it is followed by the annual surveillance audits approval.

For information concerning the validity of the certificate, you can visit the site www.qmscert.com

Certificate No: 230921-1 Rev.1



MS Certification
Cert. No. 110



ΠΙΣΤΟΠΟΙΗΤΙΚΟ

Q-CERT

Η QMSCERT, διαπιστευμένος οργανισμός επιθεωρήσεων τρίτου μέρους & πιστοποίησης συστημάτων διαχείρισης, πιστοποιεί ότι ο οργανισμός:

ΒΙΟΝΤΗΖΕΛ Α.Ε.

ΕΔΡΑ: ΑΣΣΗΡΟΣ, Τ.Κ. 57200, ΘΕΣΣΑΛΟΝΙΚΗ, ΕΛΛΑΔΑ
ΣΗΜΕΙΟ ΕΠΙΘΕΩΡΗΣΗΣ: ΑΓΡΟΤΕΜΑΧΙΟ 967, Τ.Κ. 57200, Δ.Δ. ΔΡΥΜΟΥ,
ΘΕΣΣΑΛΟΝΙΚΗ, ΕΛΛΑΔΑ

με πεδίο εφαρμογής:

Παραγωγή και Διάθεση Βιοκαυσίμων

έχει καθιερώσει ένα
ΣΥΣΤΗΜΑ ΔΙΑΧΕΙΡΙΣΗΣ ΠΟΙΟΤΗΤΑΣ
το οποίο είναι σε συμμόρφωση με τις απαιτήσεις του Διεθνούς Προτύπου

ΕΛΟΤ EN ISO 9001:2015

22 Σεπτέμβριος, 2024

Τέλος Περιόδου Πιστοποίησης

23 Σεπτέμβριος, 2021

Ημ/νία Αρχικής Πιστοποίησης

23 Σεπτέμβριος, 2021

Ημερομηνία Πιστοποίησης

IAF/EA Υποτομέας: 12.1, 29.3

Για το Συμβούλιο της QMSCERT

Η πιστοποίηση αυτή υπόκειται σε ετήσιο έλεγχο. Η ισχύς του πιστοποιητικού (3 έτη) προϋποθέτει ότι πραγματοποιούνται με επιτυχία οι ετήσιες εποπτικές επιθεωρήσεις.

Για πληροφορίες σχετικά με την εγκυρότητα του πιστοποιητικού μπορείτε να επισκεφτείτε την ιστοσελίδα www.qmscert.com

Αριθμός Πιστοποιητικού: 230921-1
Rev.1



Πιστοποίηση ΣΔ
Αρ. Πιστ. 110